



**ENGINEERED FOR
ENDURANCE**



WATER STORAGE TANKS	8
RAIN HARVESTING KITS	26
ACCESSORIES	28

A black cow is the central focus, looking towards the left. In the background, several other black cows are visible, some behind a rust-colored metal fence. The setting appears to be a rural farm or ranch with sparse vegetation and trees.

CONSERVING AMERICA'S WATER™

We can live without a lot of things when it comes down to it. Water isn't one of them. Water is life. It's easy to forget water is one of our most precious resources until it starts running short.

But even in the middle of the worst mega-drought in 1,200 years, the water is still there. It still rains, and a single rainstorm can give you hundreds of gallons of water if you have a way to capture and store it. That's why we created our line of rugged water storage tanks, engineered from the ground up to defeat threats to your stored water supply.

Our overbuilt, ribbed tank walls help prevent bulging and tank splitting. Our proprietary Light-Block™ polymer technology enables us to build tanks that block sunlight entirely, even in lighter colors. We proudly manufacture our water storage tanks here in Texas, where we can personally make sure every tank that leaves our doors will keep your water supply safe.



COMPOUND-COLOR™ POLYMER

Simply pouring colored powder into the mix may be the easy way to create roto molded polymer... but easy isn't how we do things. Our raw material is forged using a high-pressure extrusion process that forces the color into the polymer at a molecular level. With additional secret ingredients, the result is 30% stronger and it enables us to produce our line of completely light-blocking water tanks that eliminate algae growth.

TLV SERIES

WATER STORAGE TANK

-  SLATE BLACK
-  MOSS GREEN
-  DESERT BEIGE
-  WOODLAND BROWN



THE WATER STORAGE STANDARD

These tanks protect your water like no other. Light-Block™ technology eliminates algae growth, even in light colors, and thick, ribbed walls keep the structure intact under extreme loads.

STRONG-X™ ROOF DESIGN

The beefed up roof structure with molded-in truss-like supports will not collapse in extreme weather conditions.

RIBBED-WALL™ STRUCTURE

The ribs act like belts around the tank, keeping it in shape - this reduces bulging.

FLAT-SPOT™ DORMER

This tank is built with extra heavy-duty spots for plumbing extra tank fittings.

ANCHOR-POINT™ LUGS

Four hefty built-in lifting and tie-down points at each corner make it easy to handle.




DRINK-SAFE™ MATERIAL




The resin used to build the tank is FDA approved, keeping the water safe to drink.




LIGHT-BLOCK™ TECHNOLOGY




Algae needs light to grow. This algae-resistant material keeps the sunlight out and the water pure.




SPECIFICATIONS




TLV10000		TLV06250		TLV05200	
TANK GALLON SIZE	10,400	TANK GALLON SIZE	6,300	TANK GALLON SIZE	5,200
DIAMETER	144"	DIAMETER	120"	DIAMETER	100"
HEIGHT	178"	HEIGHT	147"	HEIGHT	164"
LID SIZE	16"	LID SIZE	16"	LID SIZE	16"
DRAIN FITTING SIZE	3"	DRAIN FITTING SIZE	3"	DRAIN FITTING SIZE	3"
OVERFLOW FITTING SIZE	2"	OVERFLOW FITTING SIZE	2"	OVERFLOW FITTING SIZE	2"
SPECIFIC GRAVITY	1.1	SPECIFIC GRAVITY	1.1	SPECIFIC GRAVITY	1.1
MANUFACTURED IN	 MANUFACTURED IN	 MANUFACTURED IN	 MANUFACTURED IN		



TLV05050		TLV03100		TLV03000	
TANK GALLON SIZE	5,050	TANK GALLON SIZE	3,100	TANK GALLON SIZE	3,126
DIAMETER	120"	DIAMETER	100"	DIAMETER	90"
HEIGHT	120"	HEIGHT	103"	HEIGHT	125"
LID SIZE	16"	LID SIZE	16"	LID SIZE	16"
DRAIN FITTING SIZE	3"	DRAIN FITTING SIZE	2"	DRAIN FITTING SIZE	2"
OVERFLOW FITTING SIZE	2"	OVERFLOW FITTING SIZE	2"	OVERFLOW FITTING SIZE	2"
SPECIFIC GRAVITY	1.1	SPECIFIC GRAVITY	1.1	SPECIFIC GRAVITY	1.1
MANUFACTURED IN	 MANUFACTURED IN	 MANUFACTURED IN	 MANUFACTURED IN		

TLV02600		TLV02500		TLV02000	
TANK GALLON SIZE	2,700	TANK GALLON SIZE	2,680	TANK GALLON SIZE	2,276
DIAMETER	100"	DIAMETER	90"	DIAMETER	90"
HEIGHT	92"	HEIGHT	113"	HEIGHT	93"
LID SIZE	16"	LID SIZE	16"	LID SIZE	16"
DRAIN FITTING SIZE	2"	DRAIN FITTING SIZE	2"	DRAIN FITTING SIZE	2"
OVERFLOW FITTING SIZE	2"	OVERFLOW FITTING SIZE	2"	OVERFLOW FITTING SIZE	2"
SPECIFIC GRAVITY	1.1	SPECIFIC GRAVITY	1.1	SPECIFIC GRAVITY	1.1
MANUFACTURED IN	 MANUFACTURED IN	 MANUFACTURED IN	 MANUFACTURED IN		

TLV01750		TLV01550		TLV01350	
TANK GALLON SIZE	2,009	TANK GALLON SIZE	1,700	TANK GALLON SIZE	1,530
DIAMETER	85"	DIAMETER	85"	DIAMETER	85"
HEIGHT	89"	HEIGHT	80"	HEIGHT	71"
LID SIZE	16"	LID SIZE	16"	LID SIZE	16"
DRAIN FITTING SIZE	2"	DRAIN FITTING SIZE	2"	DRAIN FITTING SIZE	2"
OVERFLOW FITTING SIZE	2"	OVERFLOW FITTING SIZE	2"	OVERFLOW FITTING SIZE	2"
SPECIFIC GRAVITY	1.1	SPECIFIC GRAVITY	1.1	SPECIFIC GRAVITY	1.1
MANUFACTURED IN	 MANUFACTURED IN	 MANUFACTURED IN	 MANUFACTURED IN		

TLV01125		TLV01100		TLV00870	
TANK GALLON SIZE	1,125	TANK GALLON SIZE	1,100	TANK GALLON SIZE	870
DIAMETER	85"	DIAMETER	60"	DIAMETER	60"
HEIGHT	52"	HEIGHT	96"	HEIGHT	78"
LID SIZE	16"	LID SIZE	16"	LID SIZE	16"
DRAIN FITTING SIZE	2"	DRAIN FITTING SIZE	2"	DRAIN FITTING SIZE	2"
OVERFLOW FITTING SIZE	2"	OVERFLOW FITTING SIZE	2"	OVERFLOW FITTING SIZE	2"
SPECIFIC GRAVITY	1.1	SPECIFIC GRAVITY	1.1	SPECIFIC GRAVITY	1.1
MANUFACTURED IN	 MANUFACTURED IN	 MANUFACTURED IN	 MANUFACTURED IN		


TLV00550		TLV00340		TLV00200	
TANK GALLON SIZE	550	TANK GALLON SIZE	340	TANK GALLON SIZE	200
DIAMETER	60"	DIAMETER	40"	DIAMETER	30"
HEIGHT	52"	HEIGHT	74"	HEIGHT	79"
LID SIZE	16"	LID SIZE	16"	LID SIZE	8"
DRAIN FITTING SIZE	2"	DRAIN FITTING SIZE	2"	DRAIN FITTING SIZE	2"
OVERFLOW FITTING SIZE	2"	OVERFLOW FITTING SIZE	2"	OVERFLOW FITTING SIZE	×
SPECIFIC GRAVITY	1.1	SPECIFIC GRAVITY	1.1	SPECIFIC GRAVITY	1.1
MANUFACTURED IN	 MANUFACTURED IN	 MANUFACTURED IN	 MANUFACTURED IN		

TLV00150		TLV00100	
TANK GALLON SIZE	150	TANK GALLON SIZE	100
DIAMETER	30"	DIAMETER	30"
HEIGHT	61"	HEIGHT	43"
LID SIZE	8"	LID SIZE	8"
DRAIN FITTING SIZE	2"	DRAIN FITTING SIZE	2"
OVERFLOW FITTING SIZE	×	OVERFLOW FITTING SIZE	×
SPECIFIC GRAVITY	1.1	SPECIFIC GRAVITY	1.1
MANUFACTURED IN	 MANUFACTURED IN	 MANUFACTURED IN	

AVAILABLE IN FOUR COLORS



PROUDLY MADE IN THE USA



**FAST, RESPONSIVE
CUSTOMER SUPPORT**



MADE IN USA



**ONLINE PARTS
STORE**



**LEAK-PROOF
DESIGN**



**LONGEST WARRANTY
IN THE INDUSTRY**



**DESIGNED FOR
SAFETY**



**SUPPORTIVE DEALER
NETWORK**



**TESTED FOR
TOUGHNESS**



**ROTOMOLDED USING
HIGH-QUALITY MATERIAL**



**“IT COMES WITH AN
INDUSTRY-LEADING
10-YEAR WARRANTY.**

**TO ME, THAT’S REAL EVIDENCE THAT ENDURAPLAS
BACKS WHAT THEY BUILD.”**

- JIM BLAIR, BEE CAVE DRILLING INC.



ELIMINATING ALGAE GROWTH

Algae is the ultimate threat to your stored water. Once it begins to grow, your water is worthless. We build our tanks with Light-Block™ technology to ensure your water's longevity and purity, keeping it as clean as the day it enters the tank. The advanced material of our tank completely blocks out sunlight, preventing algae colonization regardless of your tank's color.



DESERT BEIGE



MOSS GREEN



WOODLAND BROWN



SLATE BLACK

RAIN HARVESTING



FILTER BASKET

ITEM #1
ITEM #2

8" (ATLSSM01)
16" (ATLSSM02)

ITEM #3
ITEM #4



OVERFLOW KIT

3" (CPFT001)
4" (CPFT002)



TAP

ITEM #5

3/4" (CFVS04M04GHM)

ITEM #6



TANK FITTING

3/4" (CBTF075)

RAIN HARVESTING KIT CODE	ITEMS INCLUDED	COMPATIBLE TANKS
ATRHKIT01	ITEM # (2,3,5,6)	All TLV Series Tanks with 16" Lid
ATRHKIT02	ITEM # (2,4,5,6)	All TLV Series Tanks with 16" Lid
ATRHKIT03	ITEM # (1,3,5,6)	All TLV Series Tanks with 8" Lid



RAIN HARVESTING COMPONENTS



SMALL FILTER BASKET		LARGE FILTER BASKET		OVERFLOW KIT		OVERFLOW KIT	
PRODUCT CODE	ATLSSM01	PRODUCT CODE	ATLSSM02	PRODUCT CODE	CPFTO01	PRODUCT CODE	CPFTO02
DIAMETER	8"	DIAMETER	16"	DIAMETER	3"	DIAMETER	4"

TANK ACCESSORIES



SMALL LID		LARGE LID		RAIN HARVESTING		SIGHT GAUGE KIT	
PRODUCT CODE	CA3511221	PRODUCT CODE	CFLP16HV	PRODUCT CODE	CA3510060	SIZE	3/4"
DIAMETER	8"	DIAMETER	16"	DIAMETER	16"	INCLUDES	BALL VALVE



FIRST FLUSH DIVERTER		TANK LEVEL GAUGE		TANK FITTINGS	
PRODUCT CODE	CPFTD01	PRODUCT CODE	CPFTG01	SIZE	PRODUCT CODE
		SIZE RANGE	3" - 4"	3/4"	CBTF075
		*Only for tanks under 100" in height.		1"	CBTF100
				1.5"	CBTF150
				2"	CBTF200
				3"	CBBF300
				4"	AFSB1701





INFORMATION

WARRANTY

You can depend on your Enduraplas® water storage tanks to work as hard as you do, and for Enduraplas® to stand behind its equipment. We now offer an industry leading warranty because we can. Visit www.EnduraplasWarranty.com for more information.

**Double your tank warranty by completing your warranty registration. Please contact your dealer for complete terms & conditions.*

	Standard Warranty	Extended Warranty
Tanks	5 Years	*10 Years
Parts & Accessories	**1 Year	-

**Unless expressly stated that they have an extended original manufacturer warranty.

THE BRAND

The name Enduraplas® originated in 2003. Since then, the brand has spread quickly throughout USA and Canada to a point where it is a common name heard in the agriculture industry. Products with the Enduraplas® brand are recognized as high quality and premium in the markets we serve.

The following are registered (®) or unregistered (™) trademarks of Enduraplas® LLC: Enduraplas®, Engineered for Endurance®, STRONG-X™, RIBBED-WALL™, ANCHOR-POINT™, SINGLE-PIECE™, FLAT-SPOT™, LIGHT-BLOCK™, COMPOUND-COLOR™, DRINK-SAFE™.


LEGAL NOTICE

Enduraplas® reserves the right to change specifications, design and price of the products described in this literature without notice. Images used in this literature are pictured for display purposes only. Warranty of all products is only applicable when the product is used in accord with the operator's manual. Improper use of any tank or accessory may cause serious or fatal injury. Read, understand and follow carefully the operator's manual before using these products.

FREIGHT

Contact your local dealer to learn the exact freight charges in your area. To find your closest dealer, visit EnduraplasDealers.com.

Customer Service
cs@enduraplas.com
 1 (877) 877-4370



CONSERVING AMERICA'S WATER™

